

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|--|------------------|---------|---------------------|
| L1 | 20019 | (short adj message adj service) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/24 12:59 |
| L2 | 122 | (short adj message adj service) same transfer\$3 near information | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/24 13:00 |
| L3 | 58 | (short adj message adj service) with transfer\$3 near information | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/24 13:03 |
| L4 | 1 | (SIM USIM (subscriber adj identi\$8 adj module memory) with (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and (SMS (short adj messag\$3 adj service)) and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/24 13:07 |
| L5 | 6 | (SIM USIM (subscriber adj identi\$8 adj module memory) same (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and (SMS (short adj messag\$3 adj service)) and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/12/24 13:08 |
| S1 | 0 | (SIM USIM (subscriber adj identi\$8 adj module memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) same (select\$3 choos\$3 pick\$3) with (priorit\$3 prefer\$4) near2 (network provider carrier) and (roam\$3 handover hand-over handoff hand-off) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and GSM and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:14 |

| | | | | | | |
|----|---|---|--|----|----|---------------------|
| S2 | 0 | (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) and (select\$3 choos\$3 pick\$3) with (priorit\$3 prefer\$4) near2 (network provider carrier GSM) and (roam\$3 handover hand-over handoff hand-off) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:16 |
| S3 | 0 | (Application protocol) same (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) and (select\$3 choos\$3 pick\$3) with (priorit\$3 prefer\$4) and (roam\$3 handover hand-over handoff hand-off) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:18 |
| S4 | 0 | (Application protocol) and (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) and (select\$3 choos\$3 pick\$3) with (priorit\$3 prefer\$4) and (roam\$3 handover hand-over handoff hand-off) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:18 |

| | | | | | | |
|-----|---------|--|--|----|----|---------------------|
| S6 | 0 | (Application protocol) and (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) and (select\$3 choos\$3 pick\$3) with (priorit\$3 prefer\$4) and (roam\$3 handover hand-over handoff hand-off) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and (SMS (short adj messag\$3 adj service)) and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:20 |
| S13 | 1196268 | (application protocol software soft-ware) with (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) with (select\$3 choos\$3 pick\$3) with (priorit\$3 prefer\$4) and (roam\$3 handover hand-over handoff hand-off GSM) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and (SMS (short adj messag\$3 adj service)) and @ad< "20020722" @rlad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:30 |
| S14 | 0 | (application protocol software soft-ware) with (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) with (select\$3 choos\$3 pick\$3) with high\$3 near2 (priorit\$3 prefer\$4) and (roam\$3 handover hand-over handoff hand-off GSM) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:31 |

| | | | | | | |
|-----|-----|---|--|----|----|---------------------|
| S15 | 65 | {(application protocol software soft-ware) with (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) and (select\$3 choos\$3 pick\$3) with high \$3 near2 (priorit\$3 prefer \$4) and (roam\$3 handover hand-over handoff hand-off GSM)} | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:32 |
| S16 | 13 | {(application protocol software soft-ware) and (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) with (select\$3 choos\$3 pick\$3) with high \$3 near2 (priorit\$3 prefer \$4) and (roam\$3 handover hand-over handoff hand-off GSM)} | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:36 |
| S18 | 292 | {(application protocol software soft-ware) and (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) with (GSM (global adj4 network) and (select\$3 choos\$3 pick\$3) with high \$3 near2 (priorit\$3 prefer \$4) and (roam\$3 handover hand-over handoff hand-off)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:38 |
| S19 | 65 | {(application protocol software soft-ware) and (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) with (GSM (global adj4 network) and (select\$3 choos\$3 pick\$3) with high \$3 near2 (priorit\$3 prefer \$4) and (roam\$3 handover hand-over handoff hand-off)) and (first soecond) near network | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:40 |

| | | | | | | |
|-----|-------|--|--|----|----|---------------------|
| S20 | 1315 | (initial\$4 start\$3 trigger\$3) with (application protocol software soft-ware) with (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) and (GSM first second (global adj4 network)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:49 |
| S21 | 207 | (initial\$4 start\$3 trigger\$3) with (application protocol software soft-ware) with (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) with (GSM first second (global adj4 network)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:50 |
| S22 | 5 | (initial\$4 start\$3 trigger\$3) with (application protocol software soft-ware) with (SIM USIM (subscriber adj identi\$8 adj module) memory) with (ex-chang\$3 exchang\$3 list\$3 register\$3 record\$3) with (GSM first second (global adj4 network)) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:51 |
| S23 | 38336 | (phone portable cellular mobile pda) with (select\$3 choos\$3 pick\$3) with (GSM (Global adj System adj2 Mobile adj communication)) (second near network) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:56 |
| S24 | 0 | (phone portable cellular mobile pda) with (select\$3 choos\$3 pick\$3) with (GSM (Global adj System adj2 Mobile adj communication)) and (select\$3 choos\$3 pick\$3) with second near network with (top highest) near2 priorit\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 14:58 |

| | | | | | | |
|-----|----|---|--|----|----|---------------------|
| S25 | 6 | (phone portable cellular mobile pda) with (select\$3 choos\$3 pick\$3) with (GSM (Global adj System adj2 Mobile adj communication)) and (select\$3 choos\$3 pick\$3) with second with (top high\$3 exchang\$3 ex-chang\$3 swap\$4 switch\$3 replac\$3 substitut\$3 trad\$3) same priorit\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 15:01 |
| S26 | 96 | (phone portable cellular mobile pda) with (select\$3 choos\$3 pick\$3) with (GSM (Global adj System adj2 Mobile adj communication)) and (select\$3 choos\$3 pick\$3) with second with (top high\$3 exchang\$3 ex-chang\$3 swap\$4 switch\$3 replac\$3 substitut\$3 trad\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/14 15:05 |
| S28 | 26 | (phone portable cellular mobile pda) with (SIM USIM (subscriber adj identi\$8 adj module) memory) and (select\$3 choos\$3 pick\$3) with (different\$3 shar\$3 alter varia\$5 differen\$5 deviat\$4 vary\$3) with (GSM (Global adj System adj2 Mobile adj communication)) and (select\$3 choos\$3 pick\$3) and second with (top high\$3 exchang\$3 ex-chang\$3 swap\$4 switch\$3 replac\$3 substitut\$3 trad\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 10:06 |
| S29 | 7 | (Application protocol) and (SIM USIM (subscriber adj identi\$8 adj module) memory) and (phone portable cellular mobile pda) with (select\$3 choos\$3 pick\$3) with (top highest) near2 priorit\$4 with network and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 10:26 |
| S30 | 2 | 09/908175 08/602283 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 13:38 |

| | | | | | | |
|-----|-----|---|--|----|----|---------------------|
| S31 | 929 | (retriv\$4 get-back (get adj back) recover\$3 regain\$3 reposses\$3 salvag\$3 rescue reclaim\$3) with (transfer\$4 transmit\$4 forward\$3 send\$3) with (different\$3 shar\$3 alter varia\$5 differen\$5 deviat\$4 vary\$3) with (GSM (Global adj System adj2 Mobile adj communication) (network second)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 13:42 |
| S32 | 0 | (retriv\$4 get-back (get adj back) recover\$3 regain\$3 reposses\$3 salvag\$3 rescue reclaim\$3) with (transfer\$4 transmit\$4 forward\$3 send\$3) with (different\$3 shar\$3 alter varia\$5 differen\$5 deviat\$4 vary\$3) with (GSM (Global adj System adj2 Mobile adj communication) (network second)) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) and GSM and @ad< "20020722" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 13:44 |
| S33 | 0 | (retriv\$4 get-back (get adj back) recover\$3 regain\$3 reposses\$3 salvag\$3 rescue reclaim\$3) with (transfer\$4 transmit\$4 forward\$3 send\$3) with (different\$3 shar\$3 alter varia\$5 differen\$5 deviat\$4 vary\$3) with (GSM (Global adj System adj2 Mobile adj communication) (network second)) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 13:45 |

| | | | | | | |
|-----|-----|---|--|----|----|---------------------|
| S34 | 929 | (retriv\$4 get-back (get adj back) recover\$3 regain\$3 reposses\$3 salvag\$3 rescue reclaim\$3) with (transfer\$4 transmit\$4 forward\$3 send\$3) with (different\$3 shar\$3 alter varia\$5 differen\$5 deviat\$4 vary\$3) with (GSM (Global adj System adj2 Mobile adj communication) (network second)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 13:45 |
| S35 | 4 | (retriv\$4 get-back (get adj back) recover\$3 regain\$3 reposses\$3 salvag\$3 rescue reclaim\$3) with (transfer\$4 transmit\$4 forward\$3 send\$3) with (different\$3 shar\$3 alter varia\$5 differen\$5 deviat\$4 vary\$3) with (GSM (Global adj System adj2 Mobile adj communication) (network second)) and (initial\$4 start \$3 trigger\$3) with (application protocol software soft-ware) with (SIM USIM (subscriber adj identi\$8 adj module) memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 13:46 |
| S36 | 83 | (retriv\$4 get-back (get adj back) recover\$3 regain\$3 reposses\$3 salvag\$3 rescue reclaim\$3) with (transfer\$4 transmit\$4 forward\$3 send\$3) with (different\$3 shar\$3 alter varia\$5 differen\$5 deviat\$4 vary\$3) with (GSM (Global adj System adj2 Mobile adj communication) (network second)) and (initial\$4 start \$3 trigger\$3) with (application protocol software soft-ware) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 13:48 |

| | | | | | | |
|-----|---|--|--|----|----|---------------------|
| S37 | 1 | (retriv\$4 get-back (get adj back) recover\$3 regain\$3 reposses\$3 salvag\$3 rescue reclaim\$3) with (transfer\$4 transmit\$4 forward\$3 send\$3) with (different\$3 shar\$3 alter varia\$5 differen\$5 deviat\$4 vary\$3) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data) SMS (short adj2 servic\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 14:22 |
| S38 | 3 | call near back with application and (retriv\$4 get-back (get adj back) recover \$3 regain\$3 reposses\$3 salvag\$3 rescue reclaim\$3) with (transfer\$4 transmit\$4 forward\$3 send\$3) and (DTMF (Dual adj Tone adj Multiple adj Frequenc\$3)) and (USSD (Unstructur\$3 adj Supplement\$3 adj Service adj Data) SMS (short adj2 servic\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2008/04/15 14:27 |

12/24/2008 1:32:53 PM

C:\Documents and Settings\mvu1\My Documents\EAST\Workspaces
10522959_Agent_Application.wsp